
July BOM

Block is 12¹/₂" unfinished

Supplies needed: BACKGROUND- light fabric A - 2 ea. 2 3/4 by 6 1/4 B- 2 ea. 2 1/2 by 4 C - 1 ea. 3 3/4 by 1 1/4 D - 1 ea. 11 by 2 E- 2 ea. 1 3/4 by 12 1/2

SHIRT PRINT- any bright color C1 - 2 ea. 2 1/2 by 3 1/2 C2 - 2 ea. 1 3/4 square C3 - 1 ea. 3 3/4 by 1 3/4 S1 - 2 ea. 3 1/2 by 9 S2 - 2 ea. 2 3/4 by 3 1/4





THE INSIDE OF THE SHIRT (the wrong side of the fabric or a lighter color than the shirt) S3 - 2 ea. 21/2 square

INSTRUCTIONS

STEP ONE MAKING THE COLLAR:1. Sew the C2 square , right sides together to the B rectangle on the diagonal. Trim the excess fabric and flip as shown.2. Sew C to C3

3. Join the three pieces

STEP TWO MAKING THE SHIRT

- 4. Join the sleeves (S2) to background (A)
- 5. Sew the joined pieces to S1.

STEP THREE: MAKING THE LAPELS

- 6. Fold C1 strips right sides together lengthwise and stitch across one short edge of each strip
- 7. Turn the lapels right side out and press
- 8. Top stitch the long folded edge and short stitched edge 1/8" from the edge







July BOM

9. Cut 45 degrees across the corners of the short and long open raw edges.10. Place the angled corner of the lapel at the top of the shoulder seam, with the point just a 1/8" beyond the corner as shown.




STEP FOUR: MAKING THE INSIDE OF THE SHIRT AND FINISHING THE COLLAR

11. Place the S3 right sides up in the corner of the shirt (S1), on top of the lapels.

12. S3 has a drawn diagonal line along the raw edge of the lapels . See picture

13. Sew across the S3 a scant from the line drawn towards the center to secure the lapels and S3. 14. Press the part of S3 that overlaps the lapel away from the lapel. Do not cut away background fabric.

15. Join the shirt fronts. Press seam open



STEP FIVE: FINISH THE DARN THING!

- 16. Add the collar row to the shirt front.
- 17. Stitch D to the shirt bottom.
- 18. Stitch both E pieces to sides of the shirt.

19. Unit should measure 12 1/2, trim as needed. Done! Happy Trails!





July BOM